

TCR V gamma 2 antibody [UC3-10A6]

Cat. No. GTx14214

Host	Armenian Hamster
Clonality	Monoclonal
Isotype	IgG
Applications	FCM, Depletion
Reactivity	Mouse

Package
500 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
FCM	Assay dependent
Depletion	Assay dependent

Note : in vivo $\gamma\delta$ T cell depletion

Not tested in other applications.

Product Note The UC3-10A6 monoclonal antibody reacts with an epitope on the delta chain of the mouse Vy2 TCR (V gamma 2 T cell receptor).

Properties

Form	Liquid
Buffer	Filter-sterilized PBS
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	G8 mouse T cells
Purification	Protein G purified From tissue culture supernatant
Purity	>95% (Determined by SDS-PAGE)
Endotoxin	< 0.002 EU/µg (Determined by LAL assay)
Conjugation	Unconjugated



For full product information, images and publications, please visit our [website](#).

Date 2026 / 02 / 02 Page 1 of 2

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 02 / 02 Page 2 of 2