

# Clathrin Heavy chain antibody [2Q2166]

**Cat. No. GTX14401**

<b>Host</b>	Mouse
<b>Clonality</b>	Monoclonal
<b>Isotype</b>	IgM
<b>Application</b>	WB, IHC-Fr
<b>Reactivity</b>	Human, Rat, Bovine

**Package**

50 µg

## APPLICATION

### Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:100-1:500
IHC-Fr	1:10

Not tested in other applications.

**Calculated MW** 192 kDa. ([Note](#))

### Product Note

Recognizes the clathrin heavy chain from a diverse range of species. In nervous tissue it crossreacts with another coated vesicle polypeptide of 190kD which is not present in isolated clathrin triskelions. In some epithelial cells of certain species the antibody may crossreact with a cytokeratin component. It detects coated vesicles from different organs and tissues (e.g. brain, ovary, mammary gland)

## PROPERTIES

<b>Form</b>	Liquid
<b>Buffer</b>	PBS
<b>Preservative</b>	No preservative
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
<b>Concentration</b>	Batch dependent (Please refer to the vial label for the specific concentration.)
<b>Immunogen</b>	Coated vesicles (clathrin) of bovine brain.
<b>Purification</b>	Purified by ammonium sulfate precipitation followed by gel filtration
<b>Conjugation</b>	Unconjugated



For full product information, images and publications, please visit our [website](#).

**Note**

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).