

Fibronectin antibody [3F12]

Cat. No. GTX15737

Host	Mouse
Clonality	Monoclonal
Isotype	lgG1
Applications	WB, ICC/IF, IP, ELISA, RIA
Reactivity	Human

Package 100 μg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:100-1:500
ICC/IF	Assay dependent
IP	Assay dependent
ELISA	1 μg/ml
RIA	Assay dependent
Not tested in other applications.	

Calculated MW 263 kDa. (<u>Note</u>)

Properties	
Form	Liquid
Buffer	10mM Potassium Phosphate, 2.5mM KCl, 135mM NaCl, 0.1% BSA
Preservative	0.05% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Human plasma fibonectin
Purification	Protein A purified
Conjugation	Unconjugated



For full product information, images and publications, please visit our website.

Date 2025 / 07 / 26 Page 1 of 2




For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note


Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

DATA IMAGES



GTX15737 WB Image

WB analysis of 25 ug of human plasma lysates using GTX15737 Fibronectin antibody [3F12]. Dilution: 1:300



GTX15737 ICC/IF Image


ICC/IF analysis of HepG2 cells using GTX15737 Fibronectin antibody [3F12]. Cells were probed without (left) or with(right) an antibody.

Green: Primary antibody

Blue : Nuclei Fixation : Formalin

Permeabilization: 0.1% Triton X-100 in TBS for 10 minutes

Dilution: 1:100 overnight at 4 °C



GTX15737 WB Image

WB analysis of 30 µg of the Caco-2 whole cell lysates using GTX15737 Fibronectin antibody [3F12].

Dilution: 2 μg/ml



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 07 / 26 Page 2 of 2