

## CD18 antibody [2E6]

## Cat. No. GTX15820

|              |                                  |
|--------------|----------------------------------|
| Host         | Armenian Hamster                 |
| Clonality    | Monoclonal                       |
| Isotype      | IgG                              |
| Applications | FCM, IP, Neutralizing/Inhibition |
| Reactivity   | Mouse                            |

## Package

250 µg

## Applications

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution      | Recommended dilution |
|-------------------------|----------------------|
| FCM                     | Assay dependent      |
| IP                      | Assay dependent      |
| Neutralizing/Inhibition | Assay dependent      |

Not tested in other applications.

## Properties

|               |  |
|---------------|--|
| Form          | Liquid   |
| Buffer        | PBS  |
| Preservative  | No preservatives   |
| Storage       | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Concentration | 1.04 mg/ml (Please refer to the vial label for the specific concentration.)  |
| Immunogen     | CD18   |
| Purification  | Protein G purified   |
| Conjugation   | Unconjugated   |

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

## Note


Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 02 / 02 Page 1 of 2

## DATA IMAGES



## GTX15820 FCM Image

FACS analysis of mouse splenocytes using GTX15820 CD18 antibody [2E6] compared to an isotype control (blue).

Dilution : 2 ug/test incubated for 30 min at 4°C



For full product information, images and publications, please visit our [website](#).

Date 2026 / 02 / 02 Page 2 of 2