Synaptojanin 1 antibody [AC1]

Cat. No. GTX15835

Host	Mouse
Clonality	Monoclonal
lsotype	lgG1
Application	WB, ICC/IF, IHC-P, IHC-Fr, IP
Reactivity	Human, Mouse, Rat

Reference (1) Package 100 μl

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:2000
ICC/IF	1:10-1:100
IHC-P	1:100
IHC-Fr	1/20
IP	Assay dependent
Net tested in other applications	

Not tested in other applications.

Calculated MW

173 kDa. (<u>Note</u>)


PROPERTIES	
Form	Liquid
Buffer	Ascites diluted with PBS
Preservative	0.05% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Immunogen	Proline rich domain of a fusion protein comprising amino acids 1156-1286 of rat synaptojanin 1.
Purification	Unpurified
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our <u>website</u>.


Date 2024 / 05 / 20 Page 1 of 2

DATA IMAGES



GTX15835 IHC-P Image

IHC-P analysis of human brain tissue using GTX15835 Synaptojanin 1 antibody [AC1]. Right : Primary antibody Left : Negative control without primary antibody Antigen retrieval : 10mM sodium citrate (pH 6.0), microwaved for 8-15 min Dilution : 1:100




GTX15835 WB Image

WB analysis of 25 ug of C6 cell lysates using GTX15835 Synaptojanin 1 antibody [AC1]. Dilution : 1:500

GTX15835 ICC/IF Image

ICC/IF analysis of PC12 cells using GTX15835 Synaptojanin 1 antibody [AC1]. Cells were probed without (left) or with(right) an antibody. Green : Primary antibody Blue : Nuclei Red : Actin Fixation : Formalin Permeabilization : 0.1% Triton X-100 in TBS for 5-10 minute Dilution : 1:50 and incubated overnight



GTX15835 ICC/IF Image

ICC/IF analysis of U-87 MG cells using GTX15835 Synaptojanin 1 antibody [AC1]. Cells were probed without (left) or with(right) an antibody. Green : Primary antibody Blue : Nuclei Red : Actin Fixation : Formalin Permeabilization : 0.1% Triton X-100 in TBS for 5-10 minute Dilution : 1:50 and incubated overnight



For full product information, images and publications, please visit our <u>website</u>.

Date 2024 / 05 / 20 Page 2 of 2