

Trident Membrane Protein Extraction Kit

Cat No. GTX16373

Application WB, IP, ELISA

Reference (2)

Package

20 test, 5 test

APPLICATION

Application Note


1. Read the entire protocol carefully.
2. Before experiment, thaw buffer A or/and buffer B completely, invert the bottles a few times and keep them on ice. Place the filter cartridges in collection tubs, and pre-chill on ice. Pre-chill PBS on ice.
3. For IP, dissolve the extracted plasma membrane in PBS containing 0.5% Triton-X 100. Then do IP assay.

PROPERTIES

Storage Store Buffer A and Buffer B at -20°C, and the rest of the kit at room temperature

Note For *In vitro* laboratory use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption. Spin column-based protein extraction and cell fractionation technologies were developed by Invent Biotechnologies, Inc.

DATA IMAGES



GTX16373 WB Image

HepG2 cells were lysed and extracted by GTX16373 Plasma Membrane Protein Extraction kit.

When following the protocol, cell extracts would be isolated into cytosolic and total membrane.

The fractions were then assayed by Western Blot analysis, membrane was blotted with a plasma membrane protein- Na/K ATPase antibody (subcellular marker), a nucleolar small nuclear ribonucleoprotein- Fibrillarlin antibody (GTX113684, subcellular marker) and beta Catenin antibody (GTX101435, internal control).

Abbreviations:

WCE : whole cell extract

CE : cytosolic extract

ME: total membrane extract

NE: nuclear extract



For full product information, images and publications, please visit our [website](#).



GTX16373 Image



For full product information, images and publications, please visit our [website](#).