

## ACP1 antibody, N-term

## Cat. No. GTX16588

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P
Reactivity	Human

Package  
100 µl

## Applications

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	0.2-2.5 µg/ml
IHC-P	2-10 µg/ml

Not tested in other applications.

Calculated MW 18 kDa. ([Note](#))

## Properties


Form	Liquid
Buffer	PBS, 2% Sucrose
Preservative	0.09% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.5-1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	A synthetic peptide corresponding to a N-terminal region of Human ACP1
Purification	Protein A purified
Conjugation	Unconjugated
	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
Note	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 10 Page 1 of 2

## DATA IMAGES




## GTX16588 WB Image

WB analysis of Jurkat cells using GTX16588 ACP1 antibody at 1.25 $\mu$ g/ml.

Lane A : marker

Lane B : Jurkat cell



## GTX16588 IHC-P Image

IHC-P analysis of human kidney tissue using GTX16588 ACP1 antibody at 4.0-8.0 $\mu$ g/ml.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 10 Page 2 of 2