

APC antibody [FE9]

Cat. No. GTX16792

Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Applications	WB
Reactivity	Human, Mouse, Rat

Package
50 µg

Applications

Application Note

For WB: Use at a concentration of 1 - 1.5µg/ml. Predicted molecular weight: 312 kDa. (SW480 cells, which contain a mutation at codon 1338 of APC and express a truncated APC protein of 147 kDa). Optimal dilutions/concentrations should be determined by the researcher.

Calculated MW	312 kDa. (Note)
Product Note	Reacts with all full-length and truncated APC proteins

Properties

Form	Liquid
Buffer	50mM Sodium Phosphate, 0.2% Gelatin
Preservative	0.1% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE.
Concentration	0.1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Immunogen used was a synthetic peptide corresponding to the N-terminal 35 amino acid residues of APC.
Purification	Purified by chromatography over Protein G Sepharose followed by FPLC.
Conjugation	Unconjugated

Note	<p>For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.</p> <p>Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.</p>
------	---



For full product information, images and publications, please visit our [website](#).