

MSH2 antibody

Cat. No. GTX16833

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P, IHC-Fr, IP, IHC (Formalin)
Reactivity	Human, Mouse

Package

50 µg

Applications

Application Note

For IHC-Fr: Use at a concentration of 2 µg/ml. For IHC-P and IP: Use at an assay dependent dilution. For WB: Use at a concentration of 1 - 1.5 µg/ml. Predicted molecular weight: 100 kDa. Optimal dilutions/concentrations should be determined by the researcher.

Calculated MW 105 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	50% Glycerol, 50mM Sodium Phosphate
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Full length recombinant MSH2 protein.
Purification	IgG fraction
Conjugation	Unconjugated

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).