

## RPA32 antibody [RPA34-19]

Cat. No. GTX16855

Host	Mouse
Clonality	Monoclonal
Isotype	IgG2a
Applications	WB, ICC/IF, IHC-P, IP
Reactivity	Human, Hamster

References ( 3 )

Package

50 µg

## Applications

## Application Note

For IF: Use at a concentration of 1 - 5 µg/ml. For IHC-P: Use at a concentration of 2.5 - 5 µg/ml. For IP: Use at an assay dependent dilution. For WB: Use at a concentration of 5 µg/ml. Predicted molecular weight: RPA, is a multisubunit protein containing a 70 kDa, 34 kDa, and 11 kDa protein. Optimal dilutions/concentrations should be determined by the researcher.

Calculated MW 29 kDa. ( [Note](#) )

## Properties

Form	Liquid
Buffer	50mM Sodium Phosphate, 0.2% Gelatin
Preservative	0.1% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE.
Concentration	0.1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Tissue / cell preparation (Human); purified from U293 cells.
Purification	Protein G affinity purified
Conjugation	Unconjugated

## Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).