

# P2Y11 antibody

# Cat. No. GTX16872

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ICC/IF, FCM, IP
Reactivity	Human

References ( 1 ) Package 50 µl

# Applications

# **Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
ICC/IF	Assay dependent
FCM	Assay dependent
IP	Assay dependent

Not tested in other applications.

Calculated MW 40 kDa. ( Note )

**Product Note** We do not recommend use of this product for Mouse,Rat samples.

Properties	
Form	Liquid
Buffer	PBS, 1% BSA
Preservative	0.05% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.9 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Peptide (C)NATAAPKPSEPQSRELS, corresponding to amino acid residues 357-373 (Intracellular, C-terminus) of human P2RY11 (Accession: Q96G91).
Purification	Purified by antigen-affinity chromatography
Conjugation	Unconjugated



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 07 / 17 Page 1 of 2




For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

#### Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

## DATA IMAGES



### GTX16872 ICC/IF Image


ICC/IF analysis of PFA-fixed human P2Y11-MDCK transfected cells using GTX16872 P2Y11 antibody.

Panel A: Primary antibody

Panel B: DNA dye Hoechst 33342

Panel C: Merged images of panels A and B

Dilution: 1:200



## GTX16872 WB Image

WB analysis of human platelet lysates using GTX16872 P2Y11 antibody preincubated with or without immunogen peptide.

Dilution: 1:200



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 07 / 17 Page 2 of 2