

FOXO3A antibody, C-term

Cat. No. GTX17026

Host	Goat
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P
Reactivity	Human

Package
100 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	0.1-1µg/ml
IHC-P	Assay dependent

Not tested in other applications.

Calculated MW 71 kDa. ([Note](#))

Properties


Form	Liquid
Buffer	TBS, 0.5% BSA
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.50 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Peptide with sequence C-GAKQASSQSWVPG, from the C Terminus of the protein sequence according to NP_001446.1.
Purification	Purified by ammonium sulphate precipitation followed by antigen affinity chromatography
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 06 Page 1 of 2


DATA IMAGES

**GTX17026 IHC-P Image**

IHC-P analysis of human tonsil using GTX17026 FOXO3A antibody, C-term.

Antigen retrieval : citrate buffer pH 6


Dilution : 2.5 μ g/ml

**GTX17026 IHC-P Image**

IHC-P analysis of human uterus using GTX17026 FOXO3A antibody, C-term.

Antigen retrieval : citrate buffer pH 6

Dilution : 2.5 μ g/ml

**GTX17026 WB Image**

WB analysis of human heart lysate with (B) and without (A) blocking with the immunising peptide using GTX17026 FOXO3A antibody, C-term.

Dilution : 0.3 μ g/ml

Loading : 35 μ g protein in RIPA buffer



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 06 Page 2 of 2