

EBI3 antibody

Cat. No. GTX17036

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Application	WB, IHC-P, ELISA
Reactivity	Human, Mouse, Rat

Package
100 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	2 µg/mL
IHC-P	2.5 µg/mL
ELISA	Assay dependent

Not tested in other applications.

Calculated MW 25 kDa. ([Note](#))

PROPERTIES

Form	Liquid
Buffer	PBS
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	EBI3 antibody was raised against a 16 amino acid synthetic peptide from near the center of human EBI3. The immunogen is located within amino acids 150 - 200 of EBI3.
Purification	Purified by antigen-affinity chromatography
Conjugation	Unconjugated


Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.


Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).

DATA IMAGES

GTX17036 IHC-P Image

IHC-P analysis of human spleen tissue using GTX17036 EB13 antibody.
Working concentration : 20 µg/ml


GTX17036 IHC-P Image

IHC-P analysis of human spleen tissue using GTX17036 EB13 antibody.
Working concentration : 2.5 µg/ml


GTX17036 WB Image

WB analysis of rat spleen tissue lysate using GTX17036 EB13 antibody.
Working concentration : 2 µg/ml



For full product information, images and publications, please visit our [website](#).