

Klotho antibody

Cat. No. GTX17093

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P, ELISA
Reactivity	Human, Mouse, Rat

References (2)

Package

100 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1 - 2 µg/mL
IHC-P	2.5 µg/mL
ELISA	Assay dependent

Not tested in other applications.

Calculated MW 116 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	PBS
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	KLOTHO antibody was raised against a 16 amino acid synthetic peptide near the center of human KLOTHO. The immunogen is located within amino acids 410 - 460 of KLOTHO.
Purification	Purified by antigen-affinity chromatography
Conjugation	Unconjugated

Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).


Date 2026 / 01 / 06 Page 1 of 2

DATA IMAGES

GTX17093 IHC-P Image


IHC-P analysis of mouse heart tissue using GTX17093 Klotho antibody.
Working concentration : 20 µg/ml


GTX17093 IHC-P Image

IHC-P analysis of rat heart tissue using GTX17093 Klotho antibody.
Working concentration : 2.5 µg/ml


GTX17093 WB Image

WB analysis of HepG2 cell lysate using GTX17093 Klotho antibody.
Working concentration : (A) 1 and (B) 2 µg/ml


GTX17093 IHC-P Image

IHC-P analysis of mouse heart tissue using GTX17093 Klotho antibody.
Working concentration : 2.5 µg/ml



For full product information, images and publications, please visit our [website](#).