

ZGPAT antibody

Cat. No. GTX17161

Host	Chicken
Clonality	Polyclonal
Isotype	IgY
Applications	WB, IHC-P, ELISA
Reactivity	Human

Package
100 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1 µg/mL
IHC-P	20 µg/mL
ELISA	Assay dependent

Not tested in other applications.

Calculated MW 57 kDa. ([Note](#))

Properties


Form	Liquid
Buffer	PBS
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	ZGPAT antibody was raised against a 15 amino acid synthetic peptide near the carboxy terminus of human ZGPAT. The immunogen is located within the last 50 amino acids of ZGPAT.
Purification	Purified by antigen-affinity chromatography
Conjugation	Unconjugated
	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
Note	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).


Date 2026 / 01 / 29 Page 1 of 2

DATA IMAGES

**GTX17161 WB Image**

WB analysis of SK-N-SH cell lysate in (A) the absence and (B) the presence of blocking peptide using GTX17161 ZGPAT antibody.

Working concentration : 1 μ g/ml

**GTX17161 IHC-P Image**

IHC-P analysis of human brain tissue using GTX17161 ZGPAT antibody.

Working concentration : 20 μ g/ml



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 29 Page 2 of 2