

# SDHAF1 antibody

**Cat. No. GTX17172**

|                     |                   |
|---------------------|-------------------|
| <b>Host</b>         | Rabbit            |
| <b>Clonality</b>    | Polyclonal        |
| <b>Isotype</b>      | IgG               |
| <b>Applications</b> | WB, ICC/IF, ELISA |
| <b>Reactivity</b>   | Human, Mouse      |

**Package**  
100 µg

## Applications

### Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|--------------------|----------------------|
| WB                 | 1 - 2 µg/mL          |
| ICC/IF             | 5 µg/mL              |
| ELISA              | Assay dependent      |

Not tested in other applications.

**Calculated MW** 13 kDa. ( [Note](#) )

**Product Note** SDHAF1 antibody is predicted to not cross-react with other SDHAF protein family members.

## Properties

|                      |  |
|----------------------|--|
| <b>Form</b>          | Liquid   |
| <b>Buffer</b>        | PBS  |
| <b>Preservative</b>  | 0.02% Sodium azide   |
| <b>Storage</b>       | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| <b>Concentration</b> | 1 mg/ml (Please refer to the vial label for the specific concentration.)   |
| <b>Immunogen</b>     | SDHAF1 antibody was raised against an 18 amino acid synthetic peptide near the carboxy terminus of human SDHAF1. The immunogen is located within the last 50 amino acids of SDHAF1.  |
| <b>Purification</b>  | Purified by antigen-affinity chromatography  |
| <b>Conjugation</b>   | Unconjugated   |




For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

**Note**

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

#### DATA IMAGES




#### GTX17172 WB Image

WB analysis of 3T3 cell lysate using GTX17172 SDHAF1 antibody.  
Working concentration : (A) 1 and (B) 2 µg/ml



#### GTX17172 ICC/IF Image

ICC/IF analysis of 3T3 cells using GTX17172 SDHAF1 antibody.  
Working concentration : 5 µg/ml



#### GTX17172 ICC/IF Image

ICC/IF analysis of 3T3 cells using GTX17172 SDHAF1 antibody.  
Working concentration : 20 µg/ml



For full product information, images and publications, please visit our [website](#).