

c-Myc antibody [8]

Cat. No. GTX17355

Host	Mouse
Clonality	Monoclonal
Isotype	IgG2a
Applications	WB, IP
Reactivity	Human, Mouse, Rat

Package
100 µg

Applications

Application Note

IP: Use at an assay dependent dilution (with and without SDS). WB: Use at an assay dependent dilution. Detects bands of approximately 64 & 67 kDa (phospho myc)(predicted molecular weight: 49 kDa). Optimal dilutions/concentrations should be determined by the end user.

Calculated MW 49 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	PBS
Preservative	0.08% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant full length protein (Human).
Purification	IgG fraction
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 02 / 10 Page 1 of 1