

Human Tau (K18) protein, mutant P301L (Pre-formed Fibrils)

Cat. No. GTX17675-pro

Applications	Functional Assay	Package 200 μg, 100 μg
Species	Human	

Applications

Application Note

Thioflavin T emission curve shows increased fluorescence (correlated to tau protein fibrillation) when active tau PFFs are combined with active tau

*For best results, sonicate immediately prior to use.


Properties		
Form	Liquid	
Buffer	10mM HEPES, 100mM NaCl	
Preservative	No preservative	
Storage	Store as concentrated solution. Aliquot and store at -80°C. Avoid freeze-thaw cycles.	
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)	
Region/Sequence	Partial Tau without tagged; SRLQTAPVPM PDLKNVKSKI GSTENLKHQP GGGKVQIINK KLDLSNVQSK CGSKDNIKHVLGGGSVQIVY KPVDLSKVTS KCGSLGNIHH KPGGGQVEVK SEKLDFKDRV QSKIGSLDNI THVPGGGNKK IETHKLTFRE	
Expression System	E. coli	
Purification	Purified by ion-exchange chromatography	
Conjugation	Unconjugated	
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.	
Hote	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.	



For full product information, images and publications, please visit our website.


Date 2025 / 07 / 06 Page 1 of 2

DATA IMAGES




GTX17675-pro Image

TEM image of GTX17675-pro Human Tau (K18) protein, mutant P301L (Pre-formed Fibrils).




GTX17675-pro Image

TEM image of GTX17675-pro Human Tau (K18) protein, mutant P301L (Pre-formed Fibrils).



GTX17675-pro Image

Thioflavin T is a fluorescent dye that binds to beta sheet-rich structures, such as those in tau fibrils. Upon binding, the emission spectrum of the dye experiences a red-shift and increased fluorescence intensity. Thioflavin T emission curves show increased fluorescence (correlated to tau aggregation) over time in tau preformed fibrils (GTX17675-pro). Tau preformed fibrils (GTX17675-pro) seed the formation of new tau fibrils when combined with tau monomers (GTX17672-pro). Thioflavin T ex = 450 nm, em = 485 nm.



GTX17675-pro Image

SDS-PAGE of ~15 kDa Human Tau (K18) protein, mutant P301L (preformed fibrils (PFFs)) (GTX17675-pro). Lane 1: MW Ladder. Lane 2: Human Tau (K18) protein, mutant P301L (fibrils) (GTX17675-pro).



For full product information, images and publications, please visit our website.

Date 2025 / 07 / 06 Page 2 of 2