

Nestin antibody [2C1.3A11]

Cat. No. GTX18102

Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Applications	WB, ICC/IF, FCM, IP, IHC
Reactivity	Human

Package
100 µl

Applications

Application Note**Recommended Starting Dilutions:**

For WB: Use at 1:1000-1:5000

For ICC/IF: Use at 1:100-1:500.FACS:1:200

Optimal dilutions should be determined experimentally by the researcher.

Calculated MW 177 kDa. ([Note](#))**Product Note** Human nestin with no cross- reactivity to rodent

Properties

Form Liquid**Buffer** PBS**Preservative** 0.1% Sodium azide**Storage** Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.**Concentration** Batch dependent (Please refer to the vial label for the specific concentration.)**Immunogen** The immunogen corresponding to a region within amino acids 1464 and 1614 of human Nestin.**Purification** Protein G**Conjugation** Unconjugated**Note**

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

For full product information, images and publications, please visit our [website](#).