## Vaccinia virus antibody (FITC)

## Cat. No. GTX19970

Host	Rabbit
Clonality	Polyclonal
lsotype	lgG
Application	ICC/IF, ELISA, IHC, Neutralizing/Inhibition
Reactivity	Vaccinia virus

<mark>Package</mark> 100 μl

## Application Note

APPLICATION

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
ICC/IF	1:10-1:50
ELISA	Assay dependent
IHC	Assay dependent
Neutralizing/Inhibition	Assay dependent

## Note : Acetone fixation of the antigen source is recommended prior to staining. Plaque reduction neutralization test

Not tested in other applications.

PROPERTIES	
Form	Liquid
Buffer	PBS, 1% BSA
Preservative	0.1% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. Protect from light.
Concentration	4-5 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	New York City Board of Health (NYCBOH) strain
Purification	IgG fraction
Conjugation	Fluorescein isothiocyanate (FITC)
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our <u>website</u>.