

ICAM1 / CD54 antibody [15.2]

Cat. No. GTX20020

Host	Mouse
Clonality	Monoclonal
Isotype	lgG1
Applications	WB, ICC/IF, IHC-P, IHC-Fr, FCM, IP, ELISA, Blocking, Neutralizing/Inhibition
Reactivity	Human, Mouse, Rabbit, Pig

References (15) Package 100 μg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Assay dependent Assay dependent
Assav denendent
action depondent
Assay dependent
Assay dependent
≤ 1µg/10 ⁶ cells
Assay dependent
Assay dependent
Assay dependent
Assay dependent
^

Note : The suggested use of these reagents is in a final volume of 100 $\mu\text{L}.$

Not tested in other applications.

Calculated MW 58 kDa. (Note)

Properties	
Form	Liquid
Buffer	Borate buffered saline
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C.
Concentration	0.1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Rheumatoid synovial cells and human monocytes



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 11 / 08 Page 1 of 2



Purification	Purified IgG1
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 11 / 08 Page 2 of 2