

NFkB p65 (acetyl Lys310) antibody

Cat. No. GTX20308

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P
Reactivity	Human, Mouse, Rat

References (1)

Package

100 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:2000
IHC-P	1:100-1:300

Not tested in other applications.

Calculated MW 60 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	PBS, 0.5% BSA, 50% Glycerol
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Synthesized peptide derived from human NFkB-p65 around the acetylation site of K310 at 250-330 aa.
Purification	Purified by antigen-affinity chromatography From serum
Conjugation	Unconjugated


Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).

DATA IMAGES

GTx20308 IHC-P Image

IHC-P analysis of rat spinal cord tissue using GTx20308 NFkB p65 (acetyl Lys310) antibody. Negative control (the lower left corner) was secondary antibody only.

Antigen retrieval : Sodium citrate pH6.0 was used for antibody retrieval (>98°C, 20min)


Dilution : 1:200


GTx20308 IHC-P Image

IHC-P analysis of rat testis tissue using GTx20308 NFkB p65 (acetyl Lys310) antibody. Negative control (the lower left corner) was secondary antibody only.

Antigen retrieval : Sodium citrate pH6.0 was used for antibody retrieval (>98°C, 20min)

Dilution : 1:200



GTx20308 IHC-P Image

IHC-P analysis of human stomach cancer tissue using GTx20308 NFkB p65 (acetyl Lys310) antibody.

Negative control (the lower left corner) was secondary antibody only.

Antigen retrieval : Sodium citrate pH6.0 was used for antibody retrieval (>98°C, 20min)

Dilution : 1:200


GTx20308 WB Image

WB analysis of HeLa cell treated with Doxorubicin using GTx20308 NFkB p65 (acetyl Lys310) antibody.



For full product information, images and publications, please visit our [website](https://www.genetex.com).