

## DcR1 antibody

**Cat. No. GTX21674**

<b>Host</b>	Goat
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG
<b>Applications</b>	WB, FCM, ELISA, IHC
<b>Reactivity</b>	Human, Mouse, Chimpanzee

**Package**  
100 µg

## Applications

**Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:300
FCM	2µl/10 <sup>6</sup> cells/100µl
ELISA	1:25,000
IHC	1:25

Not tested in other applications.

**Calculated MW** 27 kDa. ([Note](#))

## Properties

<b>Form</b>	Liquid
<b>Buffer</b>	10mM KHPO <sub>4</sub> , 140mM NaCl, 0.1% BSA
<b>Preservative</b>	0.1% Sodium azide
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
<b>Concentration</b>	1 mg/ml (Please refer to the vial label for the specific concentration.)
<b>Immunogen</b>	Synthetic peptide EVPQQTVPAPQQQRHSFKGEECPAGSHRSEHTC aa 33-63, corresponding to the extracellular domain sequence of human TRAIL-R3 (DcR1)
<b>Purification</b>	Purified by affinity chromatography
<b>Conjugation</b>	Unconjugated



For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

**Note**

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).