

MVP/LRP antibody [LMR5]

Cat. No. GTX23374

Host	Rat
Clonality	Monoclonal
Isotype	IgG
Applications	IHC-P, IHC-Fr, FCM
Reactivity	Human

Package 500 μl

Applications

Application Note

FACS: use at a diluton of 1/20 - 1/30. Cell permeabilization required. IHC-P: use at a diluton of 1/20 - 1/30. IHC-Fr: use at a diluton of 1/20 - 1/30. Optimal dilutions/concentrations should be determined by the end user.

Properties	
Form	Liquid
Buffer	PBS, 1% BSA
Preservative	0.1% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	Tissue / cell preparation; 2R120 cell line, derived by stepwise Doxorubicin exposure of the SW-1573 non-small cell lung carcinoma cell line.
Purification	IgG fraction
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 12 / 27 Page 1 of 1