

## beta 1 Adrenergic Receptor antibody

**Cat. No. GTX23546**

<b>Host</b>	Rabbit
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG
<b>Applications</b>	WB, ICC/IF, IHC-Fr, IHC
<b>Reactivity</b>	Human, Mouse, Rat, Cat, Primate

References ( 3 )

Package

100 µl

## Applications

**Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:1000
ICC/IF	1:100
IHC-Fr	Assay dependent
IHC	Assay dependent

Not tested in other applications.

**Calculated MW** 50 kDa. ( [Note](#) )

## Properties

<b>Form</b>	Liquid
<b>Buffer</b>	Serum
<b>Preservative</b>	0.05% Sodium azide
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
<b>Immunogen</b>	Synthetic peptide corresponding to residues H(394) G D R P R A S G C L A R A G(408) of mouse B1AR.
<b>Purification</b>	Unpurified
<b>Conjugation</b>	Unconjugated


**Note**

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

For full product information, images and publications, please visit our [website](#).

DATA IMAGES




**GTX23546 ICC/IF Image**

ICC/IF analysis of HeLa cells using GTX23546 beta 1 Adrenergic Receptor antibody.

Fixation : Formalin


Permeabilization : 0.1% Triton X-100 in TBS for 15 minutes at room temperature

Dilution : 1:100 for at least 1 hour at room temperature



**GTX23546 IHC-Fr Image**

IHC-Fr analysis of mouse kidney distal tubule tissue using GTX23546 beta 1 Adrenergic Receptor antibody.



**GTX23546 WB Image**

WB analysis of 25 ug of various whole cell lysates using GTX23546 beta 1 Adrenergic Receptor antibody.

Dilution : 1:1000



For full product information, images and publications, please visit our [website](#).