

PDI antibody [RL77]

Cat. No. GTX25484

Host	Mouse
Clonality	Monoclonal
Isotype	IgG2b
Applications	WB, ICC/IF, IHC-P, FCM, IP, IHC, Neutralizing /Inhibition
Reactivity	Human, Mouse, Rat, Dog, Hamster, Pig, Golden Syrian Hamster, Xenopus, Primate

References (2)

Package

100 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:200-1:2000
ICC/IF	1:100-1:1000
IHC-P	1:100
FCM	Assay dependent
IP	Assay dependent
IHC	Assay dependent
Neutralizing /Inhibition	Assay dependent

Not tested in other applications.

Calculated MW 57 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	Ascites diluted with PBS
Preservative	0.05% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Immunogen	Purified rat PDI protein.
Purification	Unpurified
Conjugation	Unconjugated




For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

DATA IMAGES



GTX25484 IHC-P Image


IHC-P analysis of human liver tissue using GTX25484 PDI antibody [RL77].

Left : Primary antibody

Right : Negative control without primary antibody

Antigen retrieval : heat induced antigen retrieval was performed using 10mM sodium citrate (pH6.0) buffer, microwaved for 8-15 minutes

Dilution : 1:200




GTX25484 ICC/IF Image

ICC/IF analysis of A549 cells using GTX25484 PDI antibody [RL77].

Green : Primary antibody

Blue : cell nucleus



GTX25484 IHC-P Image


IHC-P analysis of human colon carcinoma tissue using GTX25484 PDI antibody [RL77].

Left : Primary antibody

Right : Negative control without primary antibody

Antigen retrieval : heat induced antigen retrieval was performed using 10mM sodium citrate (pH6.0) buffer, microwaved for 8-15 minutes

Dilution : 1:20



GTX25484 IHC-P Image

IHC-P analysis of human tonsil tissue using GTX25484 PDI antibody [RL77].

Left : Primary antibody

Right : Negative control without primary antibody

Antigen retrieval : heat induced antigen retrieval was performed using 10mM sodium citrate (pH6.0) buffer, microwaved for 8-15 minutes

Dilution : 1:200



For full product information, images and publications, please visit our [website](#).