

Goat Anti-Armenian Hamster IgG antibody

Cat. No. GTX25738

Host	Goat
Clonality	Polyclonal
Isotype	IgG
Applications	WB, FCM, IP, ELISA, ChIP assay, IHC
Reactivity	Armenian Hamster

Package 1 mg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:2000-1:10000
FCM	Assay dependent
IP	Assay dependent
ELISA	1:20000-1:40000
ChIP assay	Assay dependent
IHC	1:1000-1:5000

Not tested in other applications.

Product Note Reduced reactivity with Golden Syrian Hamster IgG.

Properties	
Form	Liquid
Buffer	20mM Potassium Phosphate, 150mM NaCl
Preservative	0.01% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1.96 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Armenian Hamster IgG whole molecule
Purification	IgG fraction This product was prepared from monospecific antiserum by immunoaffinity chromatography using Armenian Hamster IgG coupled to agarose beads followed by solid phase adsorptions to remove any unwanted reactivities.
Conjugation	Unconjugated



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 12 / 29 Page 1 of 2




For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

DATA IMAGES



GTX25738 ELISA Image

ELISA analysis of Armenian Hamster IgG using serially diluted GTX25738 Goat Anti-Armenian Hamster IgG antibody.

Coating: 1 µg



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 12 / 29 Page 2 of 2