

Rabbit Anti-Goat IgG antibody, F(ab')<sub>2</sub> fragment, pre-adsorbed (FITC)**Cat. No. GTX25750**

|                    |                         |
|--------------------|-------------------------|
| <b>Host</b>        | Rabbit                  |
| <b>Clonality</b>   | Polyclonal              |
| <b>Isotype</b>     | IgG F(ab') <sub>2</sub> |
| <b>Application</b> | WB, ICC/IF, FACS, ELISA |
| <b>Reactivity</b>  | Goat                    |

**Package**  
250 µg

## APPLICATION

**Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|--------------------|----------------------|
| WB                 | Assay dependent      |
| ICC/IF             | 1:1000-1:5000        |
| FACS               | 1:500-1:2500         |
| ELISA              | 1:10000-1:50000      |

Not tested in other applications.

**Product Note** Pre-adsorbed with Human serum proteins. May react with immunoglobulins from other species.

## PROPERTIES

|                      |  |
|----------------------|--|
| <b>Form</b>          | Liquid   |
| <b>Buffer</b>        | 20mM Potassium Phosphate, 150mM NaCl, 1% BSA   |
| <b>Preservative</b>  | 0.01% Sodium azide   |
| <b>Storage</b>       | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. Protect from light. |
| <b>Concentration</b> | 1 mg/ml (Please refer to the vial label for the specific concentration.)   |
| <b>Immunogen</b>     | Goat IgG whole molecule  |
| <b>Purification</b>  | Purified by antigen-affinity chromatography using Goat IgG coupled to agarose beads followed by solid phase adsorptions to remove any unwanted reactivities, pepsin digestion and chromatographic separation.<br>From serum                    |
| <b>Conjugation</b>   | Fluorescein isothiocyanate (FITC)  |




For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

**Note**

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

**DATA IMAGES**

**GTX25750 WB Image**

WB analysis of goat IgG using GTX25750 Rabbit Anti-Goat IgG antibody, F(ab')<sub>2</sub> fragment, pre-adsorbed (FITC).

Loading : 50 ng

Dilution : 1:1000



For full product information, images and publications, please visit our [website](https://www.genetex.com).