

## Goat Anti-Mouse IgG antibody, F(ab')2 fragment, pre-adsorbed (TxRd)

## Cat. No. GTX25766

Host	Goat
Clonality	Polyclonal
Isotype	IgG F(ab')2
Applications	ICC/IF, FCM, ELISA
Reactivity	Mouse

References (1) Package 250 μg

## **Applications**

## **Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
ICC/IF	1:1000-1:5000
FCM	1:500-1:2500
ELISA	1:10000-1:50000
Notation designation of the second continues	

Not tested in other applications.

Pre-adsorbed with Bovine, Horse, Human, Rabbit, Rat and Sheep serum proteins. May react with immunoglobulins from **Product Note** 

Properties	
Form	Liquid
Buffer	10mM Sodium Phosphate, 150mM NaCl, 1% BSA
Preservative	0.01% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. Protect from light.
Concentration	0.5 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Mouse IgG whole molecule
Purification	Purified by antigen-affinity chromatography using Mouse IgG coupled to agarose beads followed by solid phase adsorptions to remove any unwanted reactivities, pepsin digestion and chromatographic separation.  From serum
Conjugation	Texas Red (TxRd) <u>Wavelength</u>



For full product information, images and publications, please visit our website.

Date 2025 / 11 / 09 Page 1 of 2



For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 11 / 09 Page 2 of 2

€ 886-3-6208988 886-3-6208989 infoasia@genetex.com