

Goat Anti-Mouse IgG (Fc fragment) antibody, F(ab')₂ fragment, pre-adsorbed (AP)

Cat. No. GTX25880

Host	Goat
Clonality	Polyclonal
Isotype	IgG F(ab') ₂
Applications	WB, ELISA, IHC
Reactivity	Mouse

Package

250 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:2500
ELISA	1:2000-1:10000
IHC	1:200-1:1000

Not tested in other applications.

Product Note Pre-adsorbed with Bovine, Horse and Human serum proteins. May react with immunoglobulins from other species.

Properties


Form	Liquid
Buffer	50mM Tris-HCl, 150mM NaCl, 1mM MgCl ₂ , 0.1mM ZnCl ₂ , 50% Glycerol
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C. DO NOT FREEZE.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Mouse IgG Fc fragment
Purification	Purified by antigen-affinity chromatography using Mouse IgG coupled to agarose beads followed by solid phase adsorptions to remove any unwanted reactivities, pepsin digestion and chromatographic separation. From serum
Conjugation	Alkaline Phosphatase (AP)



For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note
 Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

DATA IMAGES

GTX25880 ELISA Image

ELISA analysis of mouse IgG Fc fragment using serially diluted GTX25880 Goat Anti-Mouse IgG (Fc fragment) antibody, F(ab')₂ fragment, pre-adsorbed (AP).

Coating : 10 µg



For full product information, images and publications, please visit our [website](#).