

## Goat Anti-Rabbit IgG antibody, F(ab')2 fragment, pre-adsorbed (TxRd)

## Cat. No. GTX26010

Host	Goat
Clonality	Polyclonal
Isotype	IgG F(ab')2
Applications	WB, ICC/IF, FCM, ELISA
Reactivity	Rabbit

## Package

250 µg

## Applications

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
ICC/IF	1:1000-1:5000
FCM	1:500-1:2500
ELISA	1:10000-1:50000

Not tested in other applications.

Product Note	Pre-adsorbed with Bovine, Chicken, Goat, Guinea Pig, Hamster, Horse, Human, Mouse, Rat and Sheep serum proteins. May react with immunoglobulins from other species.
--------------	---

## Properties

Form	Liquid
Buffer	10mM Sodium Phosphate, 150mM NaCl, 1% BSA
Preservative	0.01% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. Protect from light.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Rabbit IgG whole molecule
Purification	Purified by antigen-affinity chromatography using Rabbit IgG coupled to agarose beads followed by solid phase adsorptions to remove any unwanted reactivities, pepsin digestion and chromatographic separation. From serum
Conjugation	Texas Red (TxRd) <a href="#">Wavelength</a>




For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 29 Page 1 of 2

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

**Note**

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

**DATA IMAGES****GTX26010 WB Image**

WB analysis of rabbit IgG using GTX26010 Goat Anti-Rabbit IgG antibody, F(ab')2 fragment, pre-adsorbed (TxRd).

Loading : 50 ng

Dilution : 1:1000



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 29 Page 2 of 2