

beta Catenin antibody

Cat. No. GTX26302

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ICC/IF, IHC-P, IHC-Fr, IP, Dot
Reactivity	Human, Mouse, Rat, Zebrafish, Pig, Xenopus laevis, Fish

References (1)

Package

100 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:4,000
ICC/IF	1:2,000
IHC-P	Assay dependent
IHC-Fr	1:2,000
IP	Assay dependent
Dot	Assay dependent

Note : using a denatured-reduced preparation

Not tested in other applications.

Calculated MW 85 kDa. ([Note](#))Product Note The antibody does not cross react with α -catenin or γ -catenin (plakoglobin).

Properties

Form	Liquid
Buffer	Serum
Preservative	15mM Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Immunogen	synthetic peptide corresponding to the C-terminal region (amino acids 768-781) of human/mouse β -catenin, conjugated with glutaraldehyde to KLH.
Purification	Unpurified
Conjugation	Unconjugated



For full product information, images and publications, please visit our [website](#).

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).