

## Fluorescein antibody

**Cat. No. GTX26644**

<b>Host</b>	Goat
<b>Clonality</b>	Polyclonal
<b>Isotype</b>	IgG
<b>Applications</b>	WB, FCM, IP, ELISA, FISH, IHC
<b>Reactivity</b>	Species independent

References ( 7 )

Package

100 µg

## Applications

**Application Note**

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500-1:3000
FCM	Assay dependent
IP	Assay dependent
ELISA	1:5000-1:25000
FISH	Assay dependent
IHC	1:250-1:500

Not tested in other applications.

## Properties

<b>Form</b>	Liquid
<b>Buffer</b>	20mM Potassium Phosphate, 150mM NaCl
<b>Preservative</b>	0.01% Sodium azide
<b>Storage</b>	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
<b>Concentration</b>	1.2 mg/ml (Please refer to the vial label for the specific concentration.)
<b>Immunogen</b>	Fluorescein conjugated to Goat IgG
<b>Purification</b>	Purified by antigen-affinity chromatography. From serum
<b>Conjugation</b>	Unconjugated



For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

**Note**

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

## DATA IMAGES

**GTX26644 WB Image**

WB analysis of various samples using GTX26644 Fluorescein antibody.

Lane 1 : Protein ladder

Lane 2 : BSA

Lane 3 : BSA-conjugated Fluorescein

Loading : 0.05  $\mu$ g

Dilution : 1  $\mu$ g/mL



For full product information, images and publications, please visit our [website](#).