

Fluorescein antibody (Biotin)

Cat. No. GTX26655

| | |
|--------------|---------------------|
| Host | Goat |
| Clonality | Polyclonal |
| Isotype | IgG |
| Applications | WB, ELISA, IHC |
| Reactivity | Species independent |

References (1)

Package

100 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|--------------------|----------------------|
| WB | 1:2000-1:10000 |
| ELISA | 1:10000-1:50000 |
| IHC | 1:1000-1:5000 |

Not tested in other applications.

Properties


| | |
|---------------|--|
| Form | Liquid |
| Buffer | 20mM Potassium Phosphate, 150mM NaCl, 1% BSA |
| Preservative | 0.01% Sodium azide |
| Storage | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Concentration | 1 mg/ml (Please refer to the vial label for the specific concentration.) |
| Immunogen | Fluorescein conjugated to Goat IgG |
| Purification | Purified by antigen-affinity chromatography. From serum |
| Conjugation | Biotin |
| Note | For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption. |
| | Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product. |




For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 31 Page 1 of 2

DATA IMAGES

**GTX26655 WB Image**

Western Blot of Biotin Conjugated Goat Anti-Fluorescein Antibody. Lane 1: BSA conjugated Fluorescein. Load: 50 ng per lane. Primary antibody: Fluorescein antibody at 1:1000 for 60 min at RT. Secondary antibody: Peroxidase conjugated Streptavidin secondary antibody at 1:40,000 for 30 min at RT. Block for 30 min at RT. Predicted/Observed size: 70 kDa, 70 kDa for BSA-FITC. Other band(s): None.

**GTX26655 WB Image**

WB analysis of BSA-conjugated fluorescein using GTX26655 Fluorescein antibody (Biotin).
Loading : 50 ng
Dilution : 1:1000



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 31 Page 2 of 2