

Goat Anti-Chicken IgY antibody (TxRd)

Cat. No. GTX26875

Host	Goat	
Clonality	Polyclonal	
Isotype	IgG	
Applications	WB, ICC/IF, FCM, ELISA	
Reactivity	Chicken	

Package 1 mg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
ICC/IF	1:1000-1:5000
FCM	1:500-1:2500
ELISA	1:10000-1:50000

Not tested in other applications.

Liquid
20mM Potassium Phosphate, 150mM NaCl, 1% BSA
0.01% Sodium azide
Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. Protect from light.
2 mg/ml (Please refer to the vial label for the specific concentration.)
Chicken IgY whole molecule
Purified by antigen-affinity chromatography. From serum
Texas Red (TxRd) <u>Wavelength</u> Ratio: 1.45 molecules TxRd per Goat IgG molecule.
For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 12 / 27 Page 1 of 1