

# ICAD peptide

**Cat. No. GTX28441**

|                     |                         |
|---------------------|-------------------------|
| <b>Applications</b> | Neutralizing/Inhibition |
| <b>Species</b>      | Human                   |

**Package**  
50 µg

## Applications

### Application Note

The peptide is used for blocking the activity of DFF45 (GTX28409). Incubating the peptide with equal volume of antibody for 30 min at 37°C usually completely blocks the antibody activity in Western blotting.

## Properties

|                      |                                                                             |
|----------------------|-----------------------------------------------------------------------------|
| <b>Form</b>          | Liquid                                                                      |
| <b>Buffer</b>        | PBS, 0.1% BSA                                                               |
| <b>Preservative</b>  | 0.02% Sodium azide                                                          |
| <b>Storage</b>       | Store the peptide at -20°C, stable for one year.                            |
| <b>Concentration</b> | 0.20 mg/ml (Please refer to the vial label for the specific concentration.) |
| <b>Conjugation</b>   | Unconjugated                                                                |

### Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).