

I-309 antibody

Cat. No. GTX29853

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ELISA
Reactivity	Human

Package

50 µg

Applications

Application Note

Recommended Starting Dilutions: For ELISA: Use at a concentration of 0.5 µg/mL (100 µL/well) to detect 0.4 ng/well human CCL1. For WB: Use at a concentration of 0.2 µg/mL to detect 1.5 ng/lane recombinant human CCL1. Optimal dilutions/concentrations should be determined by the end user.

Calculated MW 11 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	Filter-sterilized PBS
Preservative	No preservatives
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Rabbit Polyclonal antibody to I-309 (chemokine (C-C motif) ligand 1)
Purification	Immunogen affinity purified
Conjugation	Unconjugated

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 08 Page 1 of 1