

## Protein G (FITC)

Cat. No. GTX30959

Applications	ICC/IF, FCM
Species	Streptococcus

Package  
1 ml

## PRODUCT

## Summary

Protein G is an immunoglobulin-binding protein expressed in group C and G Streptococcal bacteria much like Protein A but with differing specificities. It is a 65-kDa (G148 protein G) and a 58 kDa (C40 protein G) cell surface protein that has found application in purifying antibodies through its binding to the Fc region. The native molecule also binds albumin, however, because serum albumin is a major contaminant of antibody sources, the albumin binding site has been removed from recombinant forms of Protein G. Fluorophore: Fluorescein isothiocyanate A max=492nm; E=520nm, Fluorophore/Protein: A492nm/A280nm

## Applications

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
ICC/IF	Assay dependent
FCM	Assay dependent

Not tested in other applications.

## Properties

Form	Liquid
Buffer	10mM Phosphate, 150mM NaCl, 1% BSA
Preservative	0.05% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. Store at 4°C.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Region/Sequence	Recombinant Protein G (FITC)
Expression System	E. coli
Conjugation	Fluorescein isothiocyanate (FITC) <a href="#">Wavelength</a>

## Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).