

RIP antibody

Cat. No. GTX31389

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P, ELISA
Reactivity	Human, Mouse, Rat

Package
100 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1 µg/mL
IHC-P	2.5 µg/mL
ELISA	Assay dependent

Not tested in other applications.

Calculated MW 76 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	PBS
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	RIP antibody was raised against a 15 amino acid synthetic peptide from near the amino terminus of human RIP. The immunogen is located within amino acids 180 - 230 of RIP.
Purification	Purified by antigen-affinity chromatography
Conjugation	Unconjugated

Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.


Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).


Date 2026 / 10 / 06 Page 1 of 2

DATA IMAGES




GTX31389 IHC-P Image

IHC-P analysis of mouse kidney tissue using GTX31389 RIP antibody.
Working concentration : 2.5 µg/ml




GTX31389 WB Image

WB analysis of rat kidney tissue lysate using GTX31389 RIP antibody.
Working concentration : 1 µg/ml



GTX31389 IHC-P Image

IHC-P analysis of mouse kidney tissue using GTX31389 RIP antibody.
Working concentration : 2.5 µg/ml



GTX31389 IHC-P Image

IHC-P analysis of mouse kidney tissue using GTX31389 RIP antibody.
Working concentration : 20 µg/ml



For full product information, images and publications, please visit our [website](https://www.genetex.com).