

Dispatched A antibody

Cat. No. GTX31465

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P, ELISA
Reactivity	Human, Mouse

Package
100 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1 - 2 µg/mL
IHC-P	2.5 µg/mL
ELISA	Assay dependent

Not tested in other applications.

Calculated MW 171 kDa. ([Note](#))

Product Note At least two isoforms of DISP1 are known to exist; this antibody will detect both isoforms. DISP1 antibody is predicted to not cross-react with EMX1.

Properties

Form	Liquid
Buffer	PBS
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Dispatched A antibody was raised against a 16 amino acid synthetic peptide near the amino terminus of human Dispatched A. The immunogen is located within amino acids 20 - 70 of Dispatched A.
Purification	Purified by antigen-affinity chromatography
Conjugation	Unconjugated




For full product information, images and publications, please visit our [website](#).

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Note


Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

DATA IMAGES




GTX31465 IHC-P Image

IHC-P analysis of human kidney tissue using GTX31465 Dispatched A antibody.
Working concentration : 2.5 µg/ml



GTX31465 WB Image

WB analysis of 3T3 cell lysate using GTX31465 Dispatched A antibody.
Working concentration : 1 µg/ml



GTX31465 IHC-P Image

IHC-P analysis of human kidney tissue using GTX31465 Dispatched A antibody.
Working concentration : 20 µg/ml



For full product information, images and publications, please visit our [website](#).