

DOPA Decarboxylase blocking peptide

Cat. No. GTX31550-PEP

Applications Neutralizing /Inhibition**Package**
50 µg

PRODUCT

Summary

DOPA Decarboxylase peptide is used for blocking the activity of DOPA Decarboxylase antibody (catalog number GTX31550). It usually blocks the antibody activity completely in Western blot by incubating the peptide with equal volume of antibody for 30 min at 37°C.

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution**Recommended dilution**

Neutralizing /Inhibition

Assay dependent

Not tested in other applications.

Properties

Form Liquid**Buffer** PBS, 0.1% BSA**Preservative** 0.02% Sodium azide**Storage** Store as concentrated solution. Aliquot and store at -20°C or below. Avoid freeze-thaw cycles.**Concentration** 200 µg/ml (Please refer to the vial label for the specific concentration.)**Conjugation** Unconjugated**Note**

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).