

## Bcl2A1 antibody

## Cat. No. GTX31738

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P, ELISA
Reactivity	Human, Mouse

## Package

100 µg

## Applications

## Application Note

\*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1 µg/mL
IHC-P	10 µg/mL
ELISA	Assay dependent

Not tested in other applications.

Calculated MW 20 kDa. ([Note](#))

Product Note At least two isoforms are known to exist; this antibody will only detect the larger isoform.

## Properties

Form	Liquid
Buffer	PBS
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Bcl2A1 antibody was raised against a 14 amino acid synthetic peptide from near the carboxy terminus of human Bcl2A1. The immunogen is located within the last 50 amino acids of Bcl2A1.
Purification	Purified by antigen-affinity chromatography
Conjugation	Unconjugated




For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 11 Page 1 of 2

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.


**Note**

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

**DATA IMAGES****GTX31738 IHC-P Image**

IHC-P analysis of mouse kidney tissue using GTX31738 Bcl2A1 antibody.

Working concentration : 10 µg/ml

**GTX31738 WB Image**

WB analysis of (A) human kidney and (B) human lung tissue lysate using GTX31738 Bcl2A1 antibody.

Working concentration : 1 µg/ml

**GTX31738 IHC-P Image**

IHC-P analysis of mouse kidney tissue using GTX31738 Bcl2A1 antibody.

Working concentration : 20 µg/ml



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 11 Page 2 of 2