Bcl2A1 antibody

Cat. No. GTX31739

| Host | Rabbit |
|-------------|-------------------|
| Clonality | Polyclonal |
| lsotype | lgG |
| Application | WB, IHC-P, ELISA |
| Reactivity | Human, Mouse, Rat |

Package 100 µg

APPLICATION

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

| Suggested dilution | Recommended dilution |
|----------------------------------|----------------------|
| WB | 1 - 2 μg/mL |
| IHC-P | 20 μg/mL |
| ELISA | Assay dependent |
| Not tested in other applications | |

Not tested in other applications.

| Calculated MW | 20 kDa. (<u>Note</u>) |
|---------------|--|
| Product Note | At least two isoforms are known to exist; this antibody will detect both isoforms. |

| PROPERTIES | |
|---------------|--|
| Form | Liquid |
| Buffer | PBS |
| Preservative | 0.02% Sodium azide |
| Storage | Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles. |
| Concentration | 1 mg/ml (Please refer to the vial label for the specific concentration.) |
| Immunogen | Bcl2A1 antibody was raised against a 14 amino acid synthetic peptide from near the amino terminus of human Bcl2A1.The immunogen is located within the first 50 amino acids of Bcl2A1. |
| Purification | Purified by antigen-affinity chromatography |
| Conjugation | Unconjugated |



For full product information, images and publications, please visit our website.

Date 2024 / 05 / 05 Page 1 of 2




Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchas


Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

DATA IMAGES




GTX31739 WB Image

WB analysis of human kidney tissue lysate using GTX31739 Bcl2A1 antibody. Working concentration : (A) 1 and (B) 2 μ g/ml



GTX31739 IHC-P Image

IHC-P analysis of mouse kidney tissue using GTX31739 Bcl2A1 antibody. Working concentration : 2 $\mu g/ml$



GTX31739 IHC-P Image

IHC-P analysis of mouse kidney tissue using GTX31739 Bcl2A1 antibody. Working concentration : 20 $\mu g/ml$



For full product information, images and publications, please visit our <u>website</u>.

Date 2024 / 05 / 05 Page 2 of 2