

FLIP antibody

Cat. No. GTX32608

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P
Reactivity	Human, Mouse, Rat

Package 100 μl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500 - 1:2000
IHC-P	1:50 - 1:200

Not tested in other applications.

Calculated MW 55 kDa. (Note)

Properties	
Form	Liquid
Buffer	PBS, 50% Glycerol
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 161-480 of human CFLAR (NP_001120655.1).
Purification	Purified by affinity chromatography
Conjugation	Unconjugated
Note	For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.
	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our <u>website</u>.

Date 2025 / 11 / 07 Page 1 of 2




DATA IMAGES



GTX32608 IHC-P Image

IHC-P analysis of human thyroid cancer tissue using GTX32608 FLIP antibody.




GTX32608 WB Image

WB analysis of Jurkat cell lysate using GTX32608 FLIP antibody.

Dilution: 1:1000

Loading: 25µg per lane



GTX32608 WB Image

WB analysis of various sample lysates using GTX32608 FLIP antibody.

Dilution: 1:1000

Loading: 25µg per lane



For full product information, images and publications, please visit our website.

Date 2025 / 11 / 07 Page 2 of 2