

LC3A antibody [5G10]

Cat. No. GTX34067

Host	Mouse
Clonality	Monoclonal
Isotype	IgG1
Applications	WB, IHC-P
Reactivity	Human, Mouse, Rat

Package
100 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:1000-1:2000
IHC-P	1:100-1:200

Not tested in other applications.

Calculated MW 14 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	PBS, 0.5% BSA, 50% Glycerol
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	synthetic peptide derived from LC3A
Purification	Purified by antigen-affinity chromatography
Conjugation	Unconjugated


Note

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).

DATA IMAGES

GTX34067 IHC-P Image

IHC-P analysis of mouse testis tissue using GTX34067 LC3A antibody [5G10]. Negative control (the lower left coner) was secondary antibody only.

Antigen retrieval : Sodium citrate pH6.0 was used for antibody retrieval (>98°C, 20min)

Dilution : 1:200



GTX34067 WB Image

WB analysis of various sample lysates using GTX34067 LC3A antibody [5G10].

Lane 1 : HeLa cell lysate


Lane 2 : 3T3 cell lysate

Lane 3 : Rat brain tissue lysate


GTX34067 IHC-P Image

IHC-P analysis of human prostate carcinoma tissue using GTX34067 LC3A antibody [5G10].


Dilution : 1:200


GTX34067 IHC-P Image

IHC-P analysis of rat kidney tissue using GTX34067 LC3A antibody [5G10]. Negative control (the lower left coner) was secondary antibody only.

Antigen retrieval : Sodium citrate pH6.0 was used for antibody retrieval (>98°C, 20min)

Dilution : 1:200


GTX34067 IHC-P Image

IHC-P analysis of human uterus cancer tissue using GTX34067 LC3A antibody [5G10]. Negative control (the lower left coner) was secondary antibody only.

Antigen retrieval : Sodium citrate pH6.0 was used for antibody retrieval (>98°C, 20min)

Dilution : 1:200



For full product information, images and publications, please visit our [website](http://www.genetex.com).