

DC-SIGN antibody [C209/1781]

Cat. No. GTX34673

Host	Mouse
Clonality	Monoclonal
Isotype	IgG2b
Applications	WB, IHC-P
Reactivity	Human

Package
100 µg

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1-2µg/ml
IHC-P	1-2µg/ml for 30 minutes at RT

Note : Staining of formalin-fixed tissues is enhanced by heating tissue sections in 10mM Tris buffer with 1mM EDTA, pH 9.0, for 45 min at 95°C followed by cooling at RT for 20 minutes.

Not tested in other applications.

Calculated MW 46 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	PBS, 0.05% BSA
Preservative	0.05% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.2 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant human CD209 protein fragment (exact sequence is proprietary)
Purification	Protein A/G purified
Conjugation	Unconjugated

Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.




For full product information, images and publications, please visit our [website](#).

DATA IMAGES




GTX34673 IHC-P Image

IHC-P analysis of human lung carcinoma tissue using GTX34673 DC-SIGN antibody [C209/1781].




GTX34673 IHC-P Image

IHC-P analysis of human small intestine tissue using GTX34673 DC-SIGN antibody [C209/1781].



GTX34673 IHC-P Image

IHC-P analysis of human colon carcinoma tissue using GTX34673 DC-SIGN antibody [C209/1781].



GTX34673 WB Image

WB analysis of human liver and spleen tissue lysates using GTX34673 DC-SIGN antibody [C209/1781].



For full product information, images and publications, please visit our [website](https://www.genetex.com).