

beta 2 Microglobulin antibody

Cat. No. GTX35209

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P
Reactivity	Human, Mouse, Rat, Monkey

Package
100 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:500 - 1:2000
IHC-P	1:50 - 1:200

Not tested in other applications.

Calculated MW 14 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	PBS, 50% Glycerol
Preservative	0.02% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	Batch dependent (Please refer to the vial label for the specific concentration.)
Immunogen	Recombinant fusion protein containing a sequence corresponding to amino acids 21-119 of human B2M (NP_004039.1).
Purification	Purified by affinity chromatography
Conjugation	Unconjugated

Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).


DATA IMAGES

**GTX35209 WB Image**

WB analysis of various sample lysates using GTX35209 beta 2 Microglobulin antibody.

Dilution : 1:1000


Loading : 25µg per lane

**GTX35209 WB Image**

WB analysis of normal (control) and knockout (KO) 293T cell lysate using GTX35209 beta 2 Microglobulin antibody.


Dilution : 1:3000

Loading : 25µg per lane

**GTX35209 IHC-P Image**

IHC-P analysis of human prostate tissue using GTX35209 beta 2 Microglobulin antibody.

Dilution : 1:100

**GTX35209 IHC-P Image**

IHC-P analysis of rat brain tissue using GTX35209 beta 2 Microglobulin antibody.

Dilution : 1:100



For full product information, images and publications, please visit our [website](#).