

GluR6 antibody

Cat. No. GTX35259

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, ICC/IF
Reactivity	Human, Mouse, Rat

Package
50 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	Assay dependent
ICC/IF	Assay dependent

Not tested in other applications.

Calculated MW 102 kDa. ([Note](#))

Properties

Form	Liquid
Buffer	PBS, 1% BSA
Preservative	0.05% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	0.6 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	Peptide CSAMVEELRMSLK, corresponding to amino acid residues 858-870 (Intracellular, C-terminus) of rat kainate receptor GluK2 (Accession : P42260).
Purification	Purified by antigen-affinity chromatography
Conjugation	Unconjugated

Note


For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).


DATA IMAGES



GTX35259 WB Image

WB analysis of mouse (lanes 1 and 3) and rat (lanes 2 and 4) brain membrane lysates using GTX35259 GluR6 antibody preincubated with or without immunogen peptide.

Dilution : 1:400



GTX35259 ICC/IF Image

ICC/IF analysis of PFA-fixed rat DRG cells using GTX35259 GluR6 antibody.

Panel A : Primary antibody

Panel B : DNA dye Hoechst 33342

Panel C : Merged images of panels A and B

Dilution : 1:400



For full product information, images and publications, please visit our [website](#).