

FAP antibody

Cat. No. GTX35261

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB, IHC-P
Reactivity	Human, Mouse, Bovine

References (1)

Package

100 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution	Recommended dilution
WB	1:300-1:1000
IHC-P	1:50-400

Not tested in other applications.

Calculated MW 88 kDa. ([Note](#))

Properties


Form	Liquid
Buffer	1% BSA, 50% Glycerol
Preservative	0.09% Sodium azide
Storage	Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.
Concentration	1 mg/ml (Please refer to the vial label for the specific concentration.)
Immunogen	KLH conjugated synthetic peptide derived from human FAP(340-390).
Purification	Protein A purified
Conjugation	Unconjugated
For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.	
Note	Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 17 Page 1 of 2


DATA IMAGES

**GTx35261 IHC-P Image**

IHC-P analysis of human gastric cancer tissue using GTx35261 FAP antibody.


Antigen retrieval : Boiling in sodium citrate buffer (pH6) for 15min

Dilution : 1:200

**GTx35261 IHC-P Image**

IHC-P analysis of mouse intestine tissue using GTx35261 FAP antibody.

Dilution : 1:200

**GTx35261 IHC-P Image**

IHC-P analysis of mouse kidney tissue using GTx35261 FAP antibody.

Antigen retrieval : Boiling in sodium citrate buffer (pH6) for 15min

Dilution : 1:200



For full product information, images and publications, please visit our [website](#).

Date 2026 / 01 / 17 Page 2 of 2