

c-Met (phospho Tyr1234) antibody

Cat. No. GTX38574

Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Applications	WB
Reactivity	Human

Package
50 µl

Applications

Application Note

*Optimal dilutions/concentrations should be determined by the researcher.

Suggested dilution **Recommended dilution**

WB 1:500-1:1000

Not tested in other applications.

Calculated MW 156 kDa. ([Note](#))**Product Note** This antibody detects endogenous levels of Met only when phosphorylated at tyrosine 1234.

Properties


Form Liquid**Buffer** PBS, 150mM NaCl, 50% Glycerol**Preservative** 0.02% Sodium azide**Storage** Store as concentrated solution. Centrifuge briefly prior to opening vial. For short-term storage (1-2 weeks), store at 4°C. For long-term storage, aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.**Concentration** 1 mg/ml (Please refer to the vial label for the specific concentration.)**Immunogen** The antiserum was produced against synthesized phosphopeptide derived from human Met around the phosphorylation site of tyrosine 1234 (K -E-Y(p)-Y-S).**Purification** Purified by antigen-affinity chromatography**Conjugation** Unconjugated**Note**

For laboratory research use only. Not for any clinical, therapeutic, or diagnostic use in humans or animals. Not for animal or human consumption.

Purchasers shall not, and agree not to enable third parties to, analyze, copy, reverse engineer or otherwise attempt to determine the structure or sequence of the product.

For full product information, images and publications, please visit our [website](#).

DATA IMAGES

**GTX38574 WB Image**

WB analysis of extracts of A431 cells untreated or treated with HGF using GTX38574 c-Met (phospho Tyr1234) antibody.



For full product information, images and publications, please visit our [website](#).